
Drawings of various options in BioDisks from EWwS Itd.







Environmental Wastewater Solutions (EWwS) Unit 12, Acorn Farm Business Centre, Cubbington Road, Wing,

Leighton Buzzard. LU7 0LB. Tel.: +44(0)1296-761439 Email : info@ewws.co.uk www.ewwsltd.com SHR 100 package plant with primary decanter, BioDiscs, clarifier, sludge pump and NIFAS® technology. Capacity: 240 PE without specific treatment for nitrogen reduction.






SHR 100 unit, seen from behind





SHR 150 package plant with primary decanter, BioDiscs, clarifier, sludge pump and NIFAS® technology. Capacity: 370 PE without specific treatment for nitrogen reduction.




SHR 150 unit, seen from behind

SHR 200 package plant with primary decanter, BioDiscs, clarifier, sludge pump and NIFAS[®] technology. Capacity: 450 PE without specific treatment for nitrogen reduction.






View from above, WWTP **1500 PE** with Ø3m BioDisk unit for ABOVE-GROUND installation and removable if necessary to another site. The final settlement tank is sealed in concrete.




Cross section, WWTP **1500 PE** with Ø3m BioDisk unit for ABOVE-GROUND installation and removable if necessary to another site. The final settlement tank is sealed in concrete.

View from above, WWTP **1500 PE** with Ø3m BioDisk unit for ABOVE-GROUND installation and removable if necessary to another site. The final settlement tank is sealed in concrete.



Vue de coupe détails unité **1500 EH** avec disques biologique Ø3m pour pose HORS-SOL et amovible en cas de besoin pour un autre site. Le clarificateur est scellé dans le béton.



Cross section, WWTP **1500 PE** with Ø3m BioDisk unit for ABOVE-GROUND installation and removable if necessary to another site. The final settlement tank is sealed in concrete.